



American Malting Barley Association, Inc.

# GLEANINGS



July 17, 2003

## 2003 MIDWEST BARLEY VARIETIES

*Minnesota, North Dakota & South Dakota*

### TOTAL PLANTED ACRES (x 1,000)

	North Dakota <sup>1</sup>		Minnesota <sup>2</sup>		South Dakota <sup>2</sup>		Three States		% Change '02 To '03
	2002	2003	2002	2003	2002	2003	2002	2003	
Robust	953,900	1,162,10	119,100	108,900	39,600	37,200	1,112,60	1,308,20	17.6%
Lacey	211,100	326,200	61,100	61,400	2,000	1,900	274,200	389,500	42.0%
Conlon	169,100	247,600		3800	8,700	10,200	177,800	261,600	47.1%
Legacy	35,100	136,300	4,500	2,400		2,700	39,600	141,400	257.1%
Haybet	30,600	43,000			3,800	3,700	34,400	46,700	35.8%
Excel	25,700	42,100	3,800	4,100			29,500	46,200	56.6%
Drummond	30,000	29,500					30,000	29,500	-1.7%
Stark	19,700	16,000			4,000	4,200	23,700	20,200	-14.8%
Bowman	28,000	12,100			6,200	6,100	34,200	18,200	-46.8%
Logan	6,400	9,500			9,300	7,200	15,700	16,700	6.4%
Stander	45,000	10,800	6,700	2,800	1,200	1,200	52,900	14,800	-72.0%
Morex	13,200	6,500	2,800				16,000	6,500	-59.4%
Royal			5,800	2,900			5,800	2,900	-50.0%
Larker						1,600		1,600	
Harrington	8,800						8,800		
Other	23,400	58,300	6,200	3,700	5,200	9,000	34,800	71,000	104.0%
<b>Total</b>	<b>1,600,00</b>	<b>2,100,00</b>	<b>210,000</b>	<b>190,000</b>	<b>80,000</b>	<b>85,000</b>	<b>1,890,00</b>	<b>2,375,00</b>	<b>25.7%</b>

### PERCENT OF PLANTED ACREAGE BY VARIETY


	North Dakota <sup>1</sup>		Minnesota <sup>2</sup>		South Dakota <sup>2</sup>		Three States	
	2002	2003	2002	2003	2002	2003	2002	2003
Robust	59.6%	55.3%	56.7%	57.3%	49.5%	43.8%	58.9%	55.1%
Lacey	13.2%	15.5%	29.1%	32.3%	2.5%	2.2%	14.5%	16.4%
Conlon	10.6%	11.8%		2.0%	10.9%	12.0%	9.4%	11.0%
Legacy	2.2%	6.5%	2.1%	1.3%		3.2%	2.1%	6.0%
Haybet	1.9%	2.0%			4.8%	4.4%	1.8%	2.0%
Excel	1.6%	2.0%	1.8%	2.2%			1.6%	1.9%
Drummond	1.9%	1.4%					1.6%	1.2%
Stark	1.2%	0.8%			5.0%	4.9%	1.3%	0.9%
Bowman	1.8%	0.6%			7.8%	7.2%	1.8%	0.8%
Logan	0.4%	0.5%			11.6%	8.5%	0.8%	0.7%
Stander	2.8%	0.5%	3.2%	1.5%	1.5%	1.4%	2.8%	0.6%
Morex	0.8%	0.3%	1.3%				0.8%	0.3%
Royal			2.8%	1.5%			0.3%	0.1%
Larker						1.9%		0.1%
Harrington	0.6%						0.5%	
Other	1.5%	2.8%	3.0%	1.9%	6.5%	10.6%	1.8%	3.0%

SOURCE: USDA/NASS and State Statistical Services


<sup>1</sup> Funds provided by the American Malting Barley Association and the North Dakota Barley Council.

<sup>2</sup> Funds provided by the American Malting Barley Association.

## 2002 MIDWEST BARLEY VARIETIES (Minnesota, North Dakota & South Dakota)



## 2003 MIDWEST BARLEY VARIETIES (Minnesota, North Dakota & South Dakota)



**2003 WESTERN BARLEY VARIETIES**  
*Montana, Idaho, Washington, Oregon, Colorado & Wyoming*

**TOTAL PLANTED ACRES (x 1,000)**

	Montana <sup>1</sup>		Idaho <sup>2</sup>		Washington <sup>3</sup>		Oregon <sup>4</sup>		Colorado <sup>4</sup>		Wyoming <sup>4</sup>		Six States		% Change
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003	'02 To '03
Harrington	571.6	551.9	202.2	247.7	27.0	18.2	4.2	3.3			3.7	3.1	808.7	824.2	1.9%
Baronesse	46.3	50.4	104.4	105.3	245.8	212.1	31.4	20.6	0.2	1.4	3.4	5.4	431.5	395.2	-8.4%
B1202	66.7	57.1	74.5	60.7			4.5	1.0			25.5	34.8	171.2	153.6	-10.3%
Moravian 37	52.0	44.9	38.0	46.4					29.2	25.9	22.8	22.6	142.0	139.8	-1.5%
Haybet	125.7	123.1			0.5	0.6	0.7	0.2			3.2	3.4	130.1	127.3	-2.2%
Merit	31.1	43.8	37.2	57.5	2.9	3.5					7.5	1.5	78.7	106.3	35.1%
Gallatin	22.2	35.7	6.6	4.6	8.4	7.1	11.4	6.3			2.9	1.1	51.5	54.8	6.4%
Legacy	6.9	11.9	25.6	32.6									32.5	44.5	36.9%
Moravian 14									43.0	41.0		2.8	43.0	43.8	1.9%
Morex			45.3	31.8	4.0	6.1	0.2	2.0					49.5	39.9	-19.4%
Westford	38.3	28.5			1.1	1.2							39.4	29.7	-24.6%
Hector	37.4	22.5	11.0	7.0									48.4	29.5	-39.0%
Xena		11.1	8.8	7.8	3.7	6.2		1.3			1.1	2.7	13.6	29.1	114.0%
AC Metcalf		7.6		7.5	2.5	11.2		0.4					2.5	26.7	968.0%
Bowman	35.8	25.5											35.8	25.5	-28.8%
Lewis	18.7	21.0			3.2	4.1							21.9	25.1	14.6%
Horsford	19.7	21.8									5.1	1.1	24.8	22.9	-7.7%
Steptoe			10.9	9.2	2.1	1.7	5.0	5.5	1.9	2.3	1.4	1.8	21.3	20.5	-3.8%
Camas			2.9	6.8		2.1	0.4	11.3					3.3	20.2	512.1%
Piroline	14.1	16.4	3.6	2.3									17.7	18.7	5.6%
Robust	4.9	14.2	14.6	3.9									19.5	18.1	-7.2%
Stander			11.7	16.8							1.6		13.3	16.8	26.3%
Stark	13.5	13.2											13.5	13.2	-2.2%
Camelot					12.9	12.9							12.9	12.9	0.0%
Colter			19.0	12.3									19.0	12.3	-35.3%
Other/Unknown	95.1	99.4	113.7	99.8	35.9	23.0	22.2	18.1	10.7	9.4	11.8	9.7	289.4	259.4	-17.2%
Total	1,200.0	1,200.0	730.0	760.0	350.0	310.0	80.0	70.0	85.0	80.0	90.0	90.0	2,535.0	2,510.0	-1.0%

SOURCE: USDA/NASS and State Statistical Services

<sup>1</sup> Funds provided by the American Malting Barley Association and the Montana Wheat and Barley Committee.

<sup>2</sup> Funds provided by the American Malting Barley Association and the Idaho Barley Commission.

<sup>3</sup> Funds provided by the American Malting Barley Association and the Washington Barley Commission.

<sup>4</sup> Funds provided by the American Malting Barley Association.

**2003 WESTERN BARLEY VARIETIES**  
*Montana, Idaho, Washington, Oregon, Colorado & Wyoming*  
**PERCENT OF PLANTED ACREAGE BY VARIETY**

	Montana <sup>1</sup>		Idaho <sup>2</sup>		Washington <sup>3</sup>		Oregon <sup>4</sup>		Colorado <sup>4</sup>		Wyoming <sup>4</sup>		Six States	
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
Harrington	47.6%	46.0%	27.7%	32.6%	7.7%	5.9%	5.3%	4.7%			4.1%	3.4%	31.9%	32.8%
Baronesse	3.9%	4.2%	14.3%	13.9%	70.2%	68.4%	39.3%	29.4%	0.2%	1.8%	3.8%	6.0%	17.0%	15.7%
B1202	5.6%	4.8%	10.2%	8.0%			5.6%	1.4%			28.3%	38.7%	6.8%	6.1%
Moravian 37	4.3%	3.7%	5.2%	6.1%					34.4%	32.4%	25.3%	25.1%	5.6%	5.6%
Haybet	10.5%	10.3%			0.1%	0.2%	0.9%	0.3%			3.6%	3.8%	5.1%	5.1%
Merit	2.6%	3.7%	5.1%	7.6%	0.8%	1.1%					8.3%	1.7%	3.1%	4.2%
Gallatin	1.9%	3.0%	0.9%	0.6%	2.4%	2.3%	14.3%	9.0%			3.2%	1.2%	2.0%	2.2%
Legacy	0.6%	1.0%	3.5%	4.3%									1.3%	1.8%
Moravian 14									50.6%	51.3%		3.1%	1.7%	1.7%
Morex			6.2%	4.2%	1.1%	2.0%	0.3%	2.9%					2.0%	1.6%
Westford	3.2%	2.4%			0.3%	0.4%							1.6%	1.2%
Hector	3.1%	1.9%	1.5%	0.9%									1.9%	1.2%
Xena		0.9%	1.2%	1.0%	1.1%	2.0%		1.9%			1.2%	3.0%	0.5%	1.2%
AC Metcalf		0.6%		1.0%	0.7%	3.6%		0.6%					0.1%	1.1%
Bowman	3.0%	2.1%											1.4%	1.0%
Lewis	1.6%	1.8%			0.9%	1.3%							0.9%	1.0%
Horsford	1.6%	1.8%									5.7%	1.2%	1.0%	0.9%
Steptoe			1.5%	1.2%	0.6%	0.5%	6.3%	7.9%	2.2%	2.9%	1.6%	2.0%	0.8%	0.8%
Camas			0.4%	0.9%		0.7%	0.5%	16.1%					0.1%	0.8%
Piroline	1.2%	1.4%	0.5%	0.3%									0.7%	0.7%
Robust	0.4%	1.2%	2.0%	0.5%									0.8%	0.7%
Stander			1.6%	2.2%							1.8%		0.5%	0.7%
Stark	1.1%	1.1%											0.5%	0.5%
Camelot					3.7%	4.2%							0.5%	0.5%
Colter			2.6%	1.6%									0.7%	0.5%
Other	7.9%	8.3%	15.6%	13.1%	10.3%	7.4%	27.8%	25.9%	12.6%	0.0%	13.1%	10.8%	11.4%	10.3%

SOURCE: USDA/NASS and State Statistical Services

<sup>1</sup> Funds provided by the American Malting Barley Association and the Montana Wheat and Barley Committee.

<sup>2</sup> Funds provided by the American Malting Barley Association and the Idaho Barley Commission.

<sup>3</sup> Funds provided by the American Malting Barley Association and the Washington Barley Commission.

<sup>4</sup> Funds provided by the American Malting Barley Association.